After optional trim strip is added to the diamond edges...



1

3



2

...and excess trimmed to match diamond edges...






...remember to fold back fabric at






Mark diamonds, squares & triangles with 1/4" seam allowances...




4

... as indicated on the quilt diagram with dots.




the outer edges of squares, or triangle pointy tips

It is unnecessary to mark





5


Assembly tips – Powerpoint screen shots





























Assembly tips – Powerpoint screen shots





Assembly tips – Powerpoint screen shots

Do not iron (rubbing back and forth) as the center of your star will get shiny.




Do not iron (rubbing back and forth) as the center of your star will get shiny.



67

68

Note: Center seam will always be slightly offset with this method.



Method 2 for center diamonds (and attached pieced design sections).... Begins on pg 20......


METHOD TWO: SEAMS PRESSED OPEN

This method is very similar to the previous technique but, when properly executed, results in a perfectly aligned center point. As always, *maintain consistent seam allowances* during construction and press seams open carefully for success. A diamond is used in the illustrations, but the process is the same for other shapes.

69


70

Method 2 for center diamonds (and attached pieced design sections)....





Align two quarter units at the center seam.

Pin securely....



72





Assembly tips – Powerpoint screen shots



Continue:

- Matching the short segments,
- pinning and sewing between the marks,
- back stitching at both ends.
- Press as you work. Complete the top.

Next: Borders